

TOP SECRET
 Approved For Release 2005/12/25 : CIA-RDP78T04751A000300050038-7

Copy No. 45

JOINT PHOTOGRAPHIC INTELLIGENCE BRIEF
ARMY-NAVY-CIA

(Published and Disseminated by CIA/PIC)

SUBJECT : Surface-to-Air Missile Support Facility	NO	PIC/DB-37/60
LOCATION : Kuybyshev Area, USSR	DATE	28 March 1960
	COORD	53°17'N 50°17'E





Figure 1. SAM SUPPORT FACILITY 4 NM NORTH OF KUYBYSHEV/
 BEZMYANKA AIRFIELD.

Declass Review by NGA / DoD

VITAL RECORDS COPY

Approved For Release 2005/12/25 : CIA-RDP78T04751A000300050038-7

TOP SECRET



PIC/JB-37/60 25X1D

REFERENCE POINT:

Kuybyshev/Bezymyanka Airfield, BE No [] 53°13'10"N
50°19'10"E.

25X1A

LOCATION:

4 km north of reference point.

FUNCTION:

This support facility serves SAM sites deployed for the defense of
Kuybyshev.

FACILITY STATUS:

Complete and operational.

25X1D

MISSILES:

24 possible canvas-covered missiles, each [] long. These missiles
possibly do not have warhead attached.

VEHICLES AND EQUIPMENT:

23 tractors and 38 missile trailers.
23 van-type trucks.
5 probable YAZ-210 trucks with large cargo trailers.
7 van-type trailers []
3 van-type trailers []
5 miscellaneous vehicles.
4 probable FRUIT SET radars.

25X1D

COMMUNICATIONS:

Probable communications building with antenna located on the north side
of the facility.

OVERHEAD POWER and/or COMMUNICATION LINE:

Overhead wire line leads to facility.

STRUCTURES:

<u>Description</u>	<u>Roof Type</u>	<u>No Stories</u>	<u>Dimensions (ft)</u>
Drive-through checkout/ maintenance bldg.			
Base	Gable	2	180 x 80
Wing	Shed	2	80 x 30

PIC/JB-37/60

Steam plant and workshop

Base	Complex	3	110 x 70
Wing	Complex	1	60 x 40
2 Storage bldgs.	Gable	1	110 x 35
3 Storage bldgs.	Gable	1	100 x 35
Storage bldg.	Gable	1	90 x 35
Drive-through checkout bldg.	Gable	1	70 x 35
Drive-through checkout bldg.	Gable	1	60 x 35
Revetted storage bldg.	Gable	1	100 x 30
Revetted storage bldg.	Gable	1	45 x 35
Revetted storage bldg.	Shed	1	25 x 25
Barracks	Gable	2	140 x 70
Barracks	Hip	2	120 x 55
Possible operations bldg.	Hip	1	100 x 60
Possible administration bldg.	Hip	1	60 x 45
Probable communications bldg.	Gable	1	45 x 15
Oxidizer storage shed	Shed	1	45 x 40
Guardhouse	Hip	1	30 x 30
Support bldg.	Gable	1	45 x 30
Support bldg.	Gable	1	30 x 30
Support bldg.	Gable	1	25 x 25
Support bldg.	Shed	1	25 x 20
Support bldg.	Gable	1	55 x 35
Support bldg.	Gable	1	35 x 25
Support bldg.	Shed	1	100 x 15
Support bldg.	Shed	1	15 x 10
3 Support bldgs.	Shed	1	10 x 10
3 bldgs. (officers quarters)	Gable	1	30 x 30
2 bldgs. (officers quarters)	Gable	1	55 x 35

Other features include: 2 horizontal tanks, revetted, each 15 feet long by in diameter; 2 heavily revetted buildings 25 x 15; one buried tank 25 feet in diameter; one buried tank 15 feet in diameter; and, a small workshop and lumber storage area.

SECURITY:

Irregular-shaped security fence encloses facility.
 Irregular-shaped board fence encloses missile checkout and maintenance area.
 One guard tower.
 Peripheral light poles.

PIC/JB-37/60

REMARKS:

This facility is situated in a residential area formerly occupied by an
AA garrison.

MAP REFERENCES:

WAC 165; AMS-Series N 501, Sheet NN 39-8.

25X1D

PHOTO DATA:

[REDACTED]